


RETURN OF JEDI™
 THE
 WING™
 FIGHTER™




STOCK #8918
 Form #099-8918

© TM & © 1983, 1989 Lucasfilm Ltd. All rights reserved. Used under authorization.

IMPORTANT! READ THIS FIRST


- Study assembly drawings carefully before starting.
- Your model may be painted to match the box photos.
- Cement all parts except where Do Not Cement symbol is shown.
- Follow the step numbers in each assembly drawing.
- Refer to other assembly drawing for location.
- Refer to last page for decal and painting instructions.
- Allow paint to dry thoroughly before handling.
- Use only enough cement to join parts.
- Apply cement to small parts with a toothpick.
- Use cement made for styrene plastic only.
- Allow paint to dry thoroughly before handling.

- 5 STEP NUMBERS
- 32 PLASTIC PART NUMBERS
- OPTIONAL
- DO NOT CEMENT
- CEMENT HERE ONLY
- 2X REPEAT SEVERAL TIMES
- REMOVE
- ★ REFER TO ...
- DECAL




3

1ST WING PART NO. 4 TOP



4

1ST WING PART NO. 4 BOTTOM




5

2ND WING PART NO.3 TOP


NOTE: Part numbers are engraved on the parts & the wing, to show where they belong on each wing.

NOTE: Be sure you're using part number 3




6


2ND WING PART NO.3 BOTTOM




7




8



9




10




NOTE: Assemble the two wings exactly as shown. The two holes are there for holding the wings in position. Make sure the tab on the center pin seats in the wing hinge slot.


HOLES TAB




NOTE: If you want to display it with the landing gear up, do not use parts 29, 30 (nosegear) or 30 & 32 (wings). Just cement the doors in the closed position.



ant on
ust be
ut the
When
mbled,
wings
easily.
sary to
forth.
TAB




DECALS



PAINT SCHEME

SEE BOX COVER FOR REFERENCE

A	FLAT BLACK
B	GLOSS BLACK
C	SILVER
D	RED
E	FLESH
F	BROWN
G	ORANGE
H	LT. GREY



DESCRIPTION

The Luke Skywalker X-Wing Fighter™ is typical of the largest portion of the Rebel Forces starfighter fleet. The INCOM T-65 fighter is piloted by one man with an android co-pilot of the R2 astromech type who takes care of the maintenance/survival systems while the pilot is occupied. Four 3.2 kg/parsic thrust ion rocket engines provide a fast and stable laser cannon platform. The unique split wings provide plenty of lift in planet atmospheres and swing open for maximum firepower and maneuverability in the vacuum of space. Deflector shield also provides a measure of protection against explosive solids and ground fire from laser cannon batteries such as on the Death Star. Additional armament includes two 250 kiloton or one 500 kiloton proton torpedoes, which slows the X-Wing down by one third, makes it a very formidable attack vehicle.

800-942-4618 (in Iowa) • 800-553-4886 (elsewhere in U.S.A.)
• Outside of U.S.A. call (319) 875-2000

THE ERTL COMPANY, INC.

Highways 136 & 20, Dyersville, Iowa 52040 U.S.A.
PRINTED IN THE U.S.A.